

postage meter supplies



2010

table of contents

postage meter supplies

PAGES 2 - 32

data-pac

COMPATIBLE METER TAPES

100-300 DT E 2

francotyp postalia®

COMPATIBLE METER TAPES

550-ULT 3

5875-PM 3

5875-INKJET 3

600-PM F 4

600-PM PF 4

650-PM 4

700-PM PF 5

502-PM 5

502-PM F 6

5X5 PINWHEEL® (C) 6

hasler®

COMPATIBLE METER TAPES

425-PM 7

525-NWR 7

525-PM WJIJ 7

5875-INKJET 8

600-PM F 8

600-PM PF 8

650-PM 9

6125-INKJET 9

700-PM 9

700-PM PF 10

700-PM WJIJ 10

502-PM 11

502-PM F 11

502-IMIS 11

5X5 PINWHEEL® (C) 12

COMPATIBLE ROLL TAPES

1312-200 DTU 12

TR-30 DT 12

REMANUFACTURED INK CARTRIDGES

PP-105 INKJET 13

COMPATIBLE INK ROLLERS

P202 SERIES 13

P204 SERIES 13

hp®

REMANUFACTURED INK CARTRIDGES

PP-105 INKJET 14

VFD-88 BLACK 14

neopost®

COMPATIBLE METER TAPES

425-PM 15

525-NWR 15

525-PM WJIJ 15

5875-PM 16

5875-INKJET 16

600-PM F 16

600-PM PF 17

6125-INKJET 17

700-PM PF 17

700-PM WJIJ 18

502-PM 18

502-PM F 18

502-IMIS 19

5X5 PINWHEEL® (C) 19

COMPATIBLE ROLL TAPES

TR-30 DT 20

REMANUFACTURED INK CARTRIDGES

PP-105 INKJET 20

pitney bowes®

COMPATIBLE METER TAPES

600-PM F 21

600-PM PF 21

600-PM H 22

700-PM PF 22

700-PM 22

502-PM 23

502-PM F 23

5X5 PINWHEEL® (C) 24

COMPATIBLE ROLL TAPES

E100A 24

E100P 25

COMPATIBLE INK CASSETTE RIBBONS

700RC 25

COMPATIBLE INK CARTRIDGES

E-777 26

K-777 26

M-127IL 26

M-234 27

M-234IL 27

M-344C 27

M-555 28

M-891 28

M-INF 28

COMPATIBLE INK BOTTLES

102 RED O 29

102 W RED 29

102 W BLACK 30

102 W BLUE 30

secap®

COMPATIBLE ROLL TAPES

E100A 31

E100P 31

COMPATIBLE INK CARTRIDGES

M-555 32

M-891 32

cross reference list

PAGES 33 - 35

notes

PAGE 36

Data-Pac® Compatible Roll Tape

NEW 100-300 DT E

Size: 1" x 3"

Specifications

- Compares to: #DIB/ DMS-0017
- For use in: DP200
- Carrier Width: 1 1/8"
- Repeat: 3 1/8"
- Outside Diameter: 3 3/8"
- Perfed Every Label
- Labels Per Roll: 500
- Rolls Per Carton: 12 (6,000 Labels)
- Weight: 5 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


Francotyp Postalia® Compatible Meter Tapes

550-ULT

Imprint Area: 2 15/16" - 5" x 1 19/32"

Specifications

- Compares to: Matrix Exclusive
- For use in: UltiMail™ Series
- Sheet Size: 5 1/2" x 1 23/32"
- Sheets/ Pack : 250
- Packs/ Carton: 4
- Cartons/ Case: 8 (32 packs)
- Weight: 3 lbs./ carton



5875-PM


Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-PM is designed with a facestock manufactured for printing with fluorescent thermal ribbons. This material is also well suited for imprinting with the ink roller method.

Specifications

- Compares to: #775/ 776
- For use in: 7500/ 8500/ JetMail™
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



5875-INKJET


Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-INKJET is the same design as the original 5875-PM Postage Meter Tape. However, the facestock of the 5875-INKJET consists of a material specifically manufactured for the new generation of Ink Jet postage meters.

Specifications

- Compares to: #775/ 776
- For use in: JetMail™
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

600-PM F


Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: Unknown
- For use in: JetMail™
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



600-PM PF


Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: Unknown
- For use in: 7500/ 8500 Series
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



650-PM


Imprint Area: 3 3/16" x 1 5/8"

The 6 1/2" Half Tape (3 3/16" on each half) is designed to provide users with an additional 1/2" of imprint area. This will allow for some machine and operator "forgiveness". It benefits the customer and the service department by reducing unnecessary and costly service calls.

Specifications

- Compares to: #916/ 922
- For use in: JetMail™/ M-Series/ Centormail™
- Sheet Size: 6 1/2" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 22 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


700-PM PF

Imprint Area: 3 7/16" x 1 7/16"

The 7" PM PF Half Tape is designed for First Class Presort applications. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing. The 700-PM PF offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market.

Specifications

- Compares to: Unknown
- For use in: 7500/ 8500 Series
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton



Sheet Size: 7" x 1 9/16"

*THIS ITEM IS AVAILABLE BOXED


502-PM

Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #193/ 216
- For use in: T-1000 Series
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton



Sheet Size: 5 1/4" x 3 1/2"

*THIS ITEM IS AVAILABLE BOXED

502-PM F


Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #193/ 216
- For use in: T-1000 Series
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 5 1/4" x 3 1/2"


5x5 PINWHEEL® (C) Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: #828/ 829
- For use in: MyMail™/ T-1000 Series
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 5" x 5"

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Hasler® Compatible Meter Tapes


425-PM

Imprint Area: 3 1/2" x 1 5/8"

Specifications

- Compares to: # 9100050
- For use in: 220i/ 320i/ 335i/ 337i/ 350i/ Powerpost™
- Sheet Size: 4 1/4" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 20
- Cartons/ Case: 3 (60 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



525-NWR


Imprint Area: 4 1/2" x 1 9/16"

The 525-NWR tape has been fully tested and approved for the Hasler® WJ Series Meters. Each tape has been designed with a 13/16" peel tab for easy handling and faster application. As an additional advantage, a perf-line is printed next to the slit on the peel tab making it easily discernible.

Specifications

- Compares to: Matrix Exclusive
- For use in: WJ60 - WJ250
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



NEW 525-PM WJIJ


Imprint Area: 4 3/8" x 1 7/16"

The 525-PM WJIJ is designed specifically for the WJ60 - WJ250 series of postage meters. Each tape has been designed with a 3/4" peel tab for easy handling and faster application. This 5 1/4" tape has a black liner that allows the feed sensor of the smaller WJ meters to see the tape.

Specifications

- Compares to: Matrix Exclusive
- For use in: WJ60 - WJ250
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



BACK VIEW

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

5875-INKJET


Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-INKJET is the same design as the original 5875-PM Postage Meter Tape. However, the facestock of the 5875-INKJET consists of a material specifically manufactured for the new generation of Ink Jet postage meters.

Specifications

- Compares to: #9004030
- For use in: WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



600-PM F


Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #9100020
- For use in: 120/ 150/ Powerpost™
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



600-PM PF


Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #9004010
- For use in: WJ135 - WJ250/ WJ-Pro
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

650-PM


Imprint Area: 3 3/16" x 1 5/8"

The 6 1/2" Half Tape (3 3/16" on each half) is designed to provide users with an additional 1/2" of imprint area. This will allow for some machine and operator "forgiveness". It benefits the customer and the service department by reducing unnecessary and costly service calls.

Specifications

- Compares to: #9100010
- For use in: 120-350/ Intelitouch™/ Powerpost™
- Sheet Size: 6 1/2" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 22 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED




NEW 6125-INKJET

Imprint Area: 3 1/2" - 6 1/32" x 1 9/16"

The 6125-INKJET strip tape was designed specifically for use in today's new line of digital postage meters from Hasler®. Based off our original INKJET meter tape, the 6125 offers 6 1/8" of overall facestock, allowing Canadian users the opportunity to print their return address and postage on the same tape.

Specifications

- Compares to: #9004030
- For use in: WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480
- Sheet Size: 6 1/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 12 lbs./ carton




700-PM

Imprint Area: 3 7/16" x 1 5/8"

Specifications

- Compares to: #9100030
- For use in: 120 - 350/ Powerpost™
- Sheet Size: 7" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 12
- Cartons/ Case: 3 (36 packs)
- Weight: 21 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

700-PM PF


Imprint Area: 3 7/16" x 1 7/16"

The 7" PM PF Half Tape is designed for First Class Presort applications. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing. The 700-PM PF offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market.

Specifications

- Compares to: #9004020
- For use in: WJ135 - WJ250
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 7" x 1 9/16"

700-PM WJII


Imprint Area: 3 7/16" x 1 7/16"

The 700-PM WJII is designed for the WJ60 - WJ250 and the WJ-Pro. The 700-PM WJII offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market. This 7" half tape has a black liner that allows the feed sensor of the smaller IJ meters to see the tape when one label has been removed.

Specifications

- Compares to: #9004020
- For use in: WJ60 - WJ250/ WJ-Pro
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 7" x 1 9/16"



BACK VIEW

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

502-PM


Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #9004080
- For use in: WJ20
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM F


Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #9004080
- For use in: WJ20
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED




NEW 502-IMIS

Imprint Area: 3 1/2" - 5 1/2" x 1 11/16"

Specifications

- Compares to: #9004080
- For use in: WJ20/ IM-330/ IM-350
- Sheet Size: 5 1/2" x 4"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 12 lbs./ carton



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


5x5 PINWHEEL® (C) Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: #9004570
- For use in: WJ20
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton


*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 5" x 5"

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.




Hasler® Compatible Roll Tapes

1312-200 DTU

Imprint Area: 1 3/4" x 1 9/32"

Specifications

- Compares to: #9990916
- For use in: Postlink™
- Label Size: 1 9/32" x 2"
- Labels/ Roll : 170
- Rolls/ Carton: 6
- Weight: 1 lb./ carton



TR-30 DT

Imprint Area: 1.4375" x 150'

Specifications

- Compares to: #WJR/ 5R
- For use in: WJR30
- Self adhesive roll tape w/ liner
- Core Size: 1"
- 720 tapes per roll
- Rolls/ Carton: 5
- Cartons/ Case: 6 (30 rolls)
- Weight: 4 lbs./ carton



TR-30 DT

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Hasler® Remanufactured Ink Cartridges

PP-105 INKJET

Composite Cartridge Remanufactured

Specifications

- Compares to: #PPINKR
- For use in: Powerpost™
- Yield: Up to 36,000 impressions
- Color: Red Fluorescent
- Cartridges/ Set: 2
- Weight: 1 lb./ set



PP-105 INKJET

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

Hasler® Compatible Ink Rollers

Our Ink and Ink Rollers comply with all postal and machine manufacturer specifications. They contain no functional plasticizers, which are on OSHA's list of possible hazardous carcinogen chemicals. Our ink is also in full compliance with California's Proposition 65, Safe Drinking Water and Toxic Enforcement Act of 1986. Our ink and ink rollers are formulated from a high technology emulsion based vehicle of very low viscosity which was developed to comply with all postal scanning requirements.

P202 Series

Water Emulsion Technology

Specifications

- Compares to: #7HS1140/ 7HS1141
- For use in: 101/ 120/ 120i/ 150/ 150i/ 202/ Smart Meter 1263
- Color: Red
- Rollers/ Carton: 20
- Packaging: Shock resistant plastic jars w/ screw locking caps
- Weight: 3 lbs./ carton

PHOTO NOT AVAILABLE

P204 Series

Water Emulsion Technology

Specifications

- Compares to: #7HS1150/ 7HS1151
- For use in: Series 204 and up (1263 excluded)
- Color(s): Red/ Blue/ Black/ Uninked
- Rollers/ Carton: 20
- Packaging: Shock resistant plastic jars w/ screw locking caps
- Weight: 5 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

HP® Remanufactured Ink Cartridges

PP-105 INKJET

Composite Cartridge Remanufactured

Specifications

- Compares to: #C6120A
- For use in: Powerpost™/ IJ105
- *Yield: Up to 36,000 impressions
- Color: Red Fluorescent
- Cartridges/ Set: 2
- Weight: 1 lb./ set



PP-105 INKJET

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

VFD-88 BLACK

Composite Cartridge Remanufactured

Please Note: This cartridge has been remanufactured and contains a pigment based black ink designed for high speed printing of porous and coated media.

Specifications

- Compares to: #C8715A/ C8842A
- For use in: A variety of printers
- *PageYield: Up to 850 pages
- Color: Black
- Cartridges/ Set: 1
- Weight: 1 lb./ each



VFD-88 BLACK

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Neopost® Compatible Meter Tapes


425-PM

Imprint Area: 3 1/2" x 1 5/8"

Specifications

- Compares to: Matrix Exclusive
- For use in: IJ105
- Sheet Size: 4 1/4" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 20
- Cartons/ Case: 3 (60 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



525-NWR


Imprint Area: 4 7/16" x 1 9/16"

The 525-NWR tape has been fully tested and approved for the Neopost® IJ Series Meters. Each tape has been designed with a 13/16" peel tab for easy handling and faster application. As an additional advantage, a perf-line is printed next to the slit on the peel tab making it easily discernible.

Specifications

- Compares to: Matrix Exclusive
- For use in: IJ65 - IJ110
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



NEW 525-PM WJIJ


Imprint Area: 4 3/8" x 1 7/16"

The 525-PM WJIJ is designed specifically for the IJ65 - IJ110 series of postage meters. Each tape has been designed with a 3/4" peel tab for easy handling and faster application. This 5 1/4" tape has a black liner that allows the feed sensor of the smaller IJ meters to see the tape.

Specifications

- Compares to: Matrix Exclusive
- For use in: IJ65 - IJ110
- Sheet Size: 5 1/4" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 13 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



BACK VIEW

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

5875-PM


Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-PM is designed with a facestock manufactured for printing with fluorescent thermal ribbons such as those used in the SM22 and SM26. This material is also well suited for imprinting with the ink roller method.

Specifications

- Compares to: #7465201
- For use in: SM22/ SM26
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



5875-INKJET


Imprint Area: 3 1/2" - 5 5/8" x 1 9/16"

Our 5875-INKJET is the same design as the original 5875-PM Postage Meter Tape. However, the facestock of the 5875-INKJET consists of a material specifically manufactured for the new generation of Ink Jet postage meters.

Specifications

- Compares to: #7465233-01
- For use in: IJ35 - IJ110/ IJ-15K/ SM75/ SM85/ SM95/ IS-420 - IS-480
- Sheet Size: 5 7/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 12
- Weight: 9 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



600-PM F


Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #8100028D
- For use in: IJ105
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

600-PM PF


Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #7465427
- For use in: SM58
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED




NEW 6125-INKJET

Imprint Area: 3 1/2" - 6 1/32" x 1 9/16"

The 6125-INKJET strip tape was designed specifically for use in today's new line of digital postage meters from Neopost®. Based off our original INKJET meter tape, the 6125 offers 6 1/8" of overall facestock, allowing Canadian users the opportunity to print their return address and postage on the same tape.

Specifications

- Compares to: #X 7465233-01
- For use in: IJ35 - IJ110/ IJ-15K/ IS-420 - IS-480
- Sheet Size: 6 1/8" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 12 lbs./ carton



700-PM PF


Imprint Area: 3 7/16" x 1 7/16"

The 7" PM PF Half Tape is designed for First Class Presort applications. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing. The 700-PM PF offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market.

Specifications

- Compares to: #7465593
- For use in: IJ80 - IJ110/ IJ-15K
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

700-PM WJIJ


Imprint Area: 3 7/16" x 1 7/16"

The 700-PM WJIJ is designed for the IJ65 - IJ110 and the IJ-15K. The 700-PM WJIJ offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market. This 7" half tape has a black liner that allows the feed sensor of the smaller IJ meters to see the tape when one label has been removed.

Specifications

- Compares to: #7465593
- For use in: IJ65 - IJ110/ IJ-15K
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM


Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #7465221
- For use in: SM22/ SM26
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



502-PM F

Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"


The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #7465221
- For use in: SM22/ SM26
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.




NEW 502-IMIS

Imprint Area: 3 1/2" - 5 1/2" x 1 11/16"

Specifications

- Compares to: #7449704
- For use in: IJ25/ IS-330/ IS-350
- Sheet Size: 5 1/2" x 4"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 12 lbs./ carton




5x5 PINWHEEL® (C) Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications


- Compares to: #7465252
- For use in: IJ25
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.



Neopost® Compatible Roll Tapes

TR-30 DT

Imprint Area: 1.4375" x 150'

Specifications

- Compares to: #4122446P
- For use in: TRTD
- Self adhesive roll tape w/ liner
- Core Size: 1"
- 720 tapes per roll
- Rolls/ Carton: 5
- Cartons/ Case: 6 (30 rolls)
- Weight: 4 lbs./ carton



TR-30 DT

Neopost® Remanufactured Ink Cartridges

PP-105 INKJET

Composite Cartridge Remanufactured

Specifications

- Compares to: #8100032H
- For use in: IJ105
- Yield: Up to 36,000 impressions
- Color: Red Fluorescent
- Cartridges/ Set: 2
- Weight: 1 lb./ set



PP-105 INKJET

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Pitney Bowes® Compatible Meter Tapes

600-PM F


Imprint Area: 5 1/2" x 1 5/8"

The 6" PM F Full Tape is designed for U.S. Parcel Select® or U.S.P.S. with an advertising imprint. Emulsion adhesive allows the paper to adhere to a wider range of surfaces and the paper stock allows for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/
E210 - 590/ 3C00/ 4C00
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



600-PM PF


Imprint Area: 5 1/8" x 1 7/16"

The 6" PM PF Full Tape is designed for First Class Presort Ad Plate or U.S. Parcel Select® imprinting. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/
E210 - 590/ 3C00/ 4C00
- Sheet Size: 6" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 18
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

600-PM H


Imprint Area: 2 15/16" x 1 5/8"

The 600-PM H half strip tape is designed specifically for those users that choose to run their postage without an ad plate. The 600-PM H offers users an imprint area of 2 15/16" x 1 5/8", allowing plenty of room to place a postal indicia.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210 - 590/ 3C00/ 4C00
- Sheet Size: 6" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 20 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 6" x 1 3/4"

700-PM PF


Imprint Area: 3 7/16" x 1 7/16"

The 7" PM PF Half Tape is designed for First Class Presort applications. It provides an ultra permanent adhesive combined with a smudge resistant open facestock which allows the paper to adhere to a wider range of surfaces and provides for improved absorption to eliminate ink smearing. The 700-PM PF offers two tapes (3 7/16" x 1 7/16") per sheet providing users with the most economical and cost competitive postage meter tape on the market.

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210 - 590/ 3C00/ 4C00
- Sheet Size: 7" x 1 9/16"
- Sheets/ Pack : 300
- Packs/ Carton: 15
- Cartons/ Case: 2 (30 packs)
- Weight: 14 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 7" x 1 9/16"


700-PM

Imprint Area: 3 7/16" x 1 5/8"

Specifications

- Compares to: #625-0
- For use in: DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210 - 590/ 3C00/ 4C00
- Sheet Size: 7" x 1 3/4"
- Sheets/ Pack : 500
- Packs/ Carton: 12
- Cartons/ Case: 3 (36 packs)
- Weight: 21 lbs./ carton

*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 7" x 1 3/4"

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


502-PM

Imprint Area: 5 1/4" x 1 5/8"

The 502-PM double strip tape was designed specifically for those users that choose to run their postage with an ad plate. The 502-PM offers users an imprint area of 5 1/4" x 1 5/8" allowing plenty of room to imprint postage and an ad plate.

Specifications

- Compares to: #612-0/ 612-7/ 612-9/ 620-9
- For use in: 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200i™/ 200L™/ E600/ B700/ PersonalPost™/ E700/ E707/ mailstation™ (K700)/ mailstation 2™ (K7M0)
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton



Sheet Size: 5 1/4" x 3 1/2"

*THIS ITEM IS AVAILABLE BOXED


502-PM F

Imprint Area: 3 1/4" - 5 1/4" x 1 5/8"

The 502-PM F double strip tape was designed specifically for those users that choose to run their postage with or without an ad plate. The 502-PM F offers users the option to remove the portion of the tape normally associated with the ad plate imprint (with an easy tear perf) or leave this portion intact and imprint their postage with an ad plate.

Specifications

- Compares to: #612-0/ 612-7/ 612-9/ 620-9
- For use in: 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200i™/ 200L™/ E600/ B700/ PersonalPost™/ E700/ E707/ mailstation™ (K700)/ mailstation 2™ (K7M0)
- Sheet Size: 5 1/4" x 3 1/2"
- Sheets/ Pack : 150
- Packs/ Carton: 14
- Cartons/ Case: 3 (42 packs)
- Weight: 11 lbs./ carton



Sheet Size: 5 1/4" x 3 1/2"

*THIS ITEM IS AVAILABLE BOXED

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.


5x5 PINWHEEL® (C) Imprint Area: 3 3/8" x 1 5/8"

The 5x5 Pinwheel® is designed with users of Hand Feed Meters in mind. It's unique layout provides four (3 3/8" x 1 5/8") tapes per sheet.

Specifications

- Compares to: Matrix Exclusive
- For use in: Hand Feed Meters
- Sheet Size: 5" x 5"
- Sheets/ Pack : 150
- Packs/ Carton: 20
- Weight: 24 lbs./ carton


*THIS ITEM IS AVAILABLE BOXED



Sheet Size: 5" x 5"

You can even customize your own Pinwheel® tapes.

What better way to advertise your business, than by placing your company name and reorder information on the postage meter supplies that you sell. Your information will be in front of your customers each and every time they use one of your tapes.



Pitney Bowes® Compatible Roll Tapes

E100A

Imprint Area: 1 7/16" x 165'

Specifications

- Compares to: #627-8
- For use in: DM500™/ 525™/ 550™/ 575™/ 800™/ 800i™/ 825™/ 875™/ 900™/ 925™/ 1000™/ 1100™/ E100/ Paragon
- 4 15/16" self adhesive roll tape
- 660 tapes per roll w/o an ad plate
- 350 tapes per roll w/ an ad plate
- Rolls/ Carton: 3
- Cartons/ Case: 4 (12 rolls)
- Weight: 3 lbs./ carton



E100A

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

E100P

Imprint Area: 1 7/16" x 265'

The E100P is designed and manufactured from a high quality facesheet that offers excellent smudge resistance and layflat capabilities. We guarantee that the E100P will provide you with consistent wetting each and every time. Dry gummed printing papers are specifically manufactured with a water-activated permanent adhesive applied to one side. This means there is no need for a backing sheet, and the elimination of waste. The E100P offers you efficiency at your fingertips.

Specifications

- Compares to: #627-2
- For use in: DM800™/ 900™/ 925™/ 1000™/ 1100™/ Galaxy/ Paragon
- 4 15/16" gummed roll tape
- 1060 tapes per roll w/o an ad plate
- 580 tapes per roll w/ an ad plate
- Rolls/ Carton: 6
- Cartons/ Case: 8 (48 rolls)
- Weight: 5 lbs./ carton



E100P

Pitney Bowes® Compatible Cassette Ribbons

NEW 700RC

Compatible Cassette Ribbon

Specifications

- Compares to: #767-1
- For use in: B700
- Yield: Up to 2,000 impressions
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cassettes/ Carton: 1
- Weight: 1 lb./ carton



700RC

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

Pitney Bowes® Compatible Ink Cartridges

NEW E-777

Compatible Ink Cartridge

Specifications

- Compares to: #769-0
- For use in: Personal Post™/ E700/ E707
- Yield: Up to 600 impressions
- Capacity: 20ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



E-777

NEW K-777

Compatible Ink Cartridge

Specifications

- Compares to: #797-0/ 797-M
- For use in: mailstation™ (K700) / mailstation 2 (K7M0)
- Yield: Up to 800 impressions
- Capacity: 20ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



K-777

NEW M-1271L

Compatible Ink Cartridge

Specifications

- Compares to: #793-5
- For use in: DM100i®/ 200L™/ P700
- Yield:
 - Up to 3,000 impressions without an envelope ad
 - Up to 2,500 impressions with an envelope ad
- Capacity: 35ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-1271L

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

NEW M-234

Compatible Ink Cartridge

Specifications

- Compares to: #765-0
- For use in: DM200™/ 300™/ 400™
- Yield:
Up to 7,000 impressions without an envelope ad
Up to 3,800 impressions with an envelope ad
- Capacity: 30ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-234

NEW M-234IL

Compatible Ink Cartridge

Specifications

- Compares to: #765-3
- For use in: DM200i™/ 300i™/ 300L™/ 400i™/ 400L™
- Yield:
Up to 8,000 impressions without an envelope ad
Up to 4,000 impressions with an envelope ad
- Capacity: 34ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-234IL

NEW M-344C

Compatible Ink Cartridge

Specifications

- Compares to: #765-9
- For use in: DM300™c/ 400™c/ 450™c/ 3C00/ 4C00/ 5C00
- Yield:
Up to 8,000 impressions without an envelope ad
Up to 4,000 impressions with an envelope ad
- Capacity: 40ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-344C

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

NEW M-555

Compatible Ink Cartridge

Specifications

- Compares to: #621-1
- For use in: DM500™/ 525™/ 550™/ 575™
- Yield: Up to 15,500 impressions without an envelope ad
- Capacity: 70ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-555

NEW M-891

Compatible Ink Cartridge

Specifications

- Compares to: #766-8
- For use in: DM800™/ 800i™/ 825™/ 875™/ 900™/ 925™/ 1000™/ 1100™
- Yield: Up to 53,000 impressions
- Capacity: 195ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-891

NEW M-INF

Compatible Ink Cartridge

Specifications

- Compares to: #772-1/ 772-2
- For use in: DM16K/ 22K/ 22KR
- Yield:
 - Small Indicia - Up to 595,000 impressions
 - Large Indicia - Up to 225,000 impressions
- Capacity: 340ml
- Color: Black
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 2
- Weight: 2.5 lb./ carton



M-INF

Please Note:

*Yield is an approximation of the number of impressions or pages that can be printed using one cartridge. Actual ink yields will vary with usage, graphics, and environmental conditions.

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Pitney Bowes® Compatible Ink

Oil-Based Emulsion Fluorescent Postage Meter Ink

102 RED O

IMPORTANT: Our 102 RED O was designed for high speed-long running applications. This new technology satisfies the most stringent of postal machine requirements. As a machine runs for long periods of time, the energy and chemistry of all liquid inks will change. Therefore, it is important to understand how this product works in order to sell effectively and meet the needs of your customers.

Specifications

- Compares to: #609-0
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Red
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton



102 RED O

Water-Based Emulsion Fluorescent Postage Meter Ink

Our Fluorescent Postage Meter Ink is the first on the U.S. market to use water emulsion technology. This postage meter ink is safe to use, guaranteed not to separate or leak for one year, reduces normal clean and shine machine maintenance by 50%, dries faster on a wider range of printing surfaces, and comes out of clothes without staining.

102 W RED

Specifications

- Compares to: #609-0
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Red
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

102 W BLUE

Specifications

- Compares to: #609-2
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Blue
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton



102 W BLUE

102 W BLACK

Specifications

- Compares to: #609-3
- For use in: 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570
- Yield: Up to 225,000 impressions
- Capacity: 1 Pt. (16 fl. oz.)
- Color: Black
- Bottles/ Carton: 16
- Packaging: Clear, shock resistant bottles w/ funnel spouts & lock caps
- Weight: 19 lbs./ carton

PHOTO NOT AVAILABLE

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Secap® Compatible Roll Tapes

E100A

Imprint Area: 1 7/16" x 165'

Specifications

- Compares to: #S27-8
- For use in: DP500™/ 525™/ 550™/ 575™/ 800™/ 825™/ 875™/ 1000™/ 1100™
- 4 15/16" self adhesive roll tape
- 660 tapes per roll w/o an ad plate
- 350 tapes per roll w/ an ad plate
- Rolls/ Carton: 3
- Cartons/ Case: 4 (12 rolls)
- Weight: 3 lbs./ carton



E100A

E100P

Imprint Area: 1 7/16" x 265'

The E100P is designed and manufactured from a high quality facesheet that offers excellent smudge resistance and layflat capabilities. We guarantee that the E100P will provide you with consistent wetting each and every time. Dry gummed printing papers are specifically manufactured with a water-activated permanent adhesive applied to one side. This means there is no need for a backing sheet, and the elimination of waste. The E100P offers you efficiency at your fingertips.

Specifications

- Compares to: #S27-2
- For use in: DP800™/ 825™/ 875™/ 1000™/ 1100™
- 4 15/16" gummed roll tape
- 1060 tapes per roll w/o an ad plate
- 580 tapes per roll w/ an ad plate
- Rolls/ Carton: 6
- Cartons/ Case: 8 (48 rolls)
- Weight: 5 lbs./ carton



E100P

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Secap® Compatible Ink Cartridges

NEW M-555

Compatible Ink Cartridge

Specifications

- Compares to: #S20-1
- For use in: DP500™/ 525™/ 550™/ 575™
- Yield: Up to 15,500 impressions without an envelope ad
- Capacity: 70ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-555

NEW M-891

Compatible Ink Cartridge

Specifications

- Compares to: #S67-8
- For use in: DP800™/ 825™/ 875™/ 1000™/ 1100™
- Yield: Up to 53,000 impressions
- Capacity: 195ml
- Color: Red Fluorescent
- Shelf Life: Up to 1 year
- Cartridges/ Carton: 1
- Weight: 1 lb./ carton



M-891

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

cross reference list

postage meter supplies

Data-Pac® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|----------------|--------------|--|--------|
| #DIB/ DMS-0017 | 100-300 DT E | Direct Thermal Roll Tape for use in the DP200 Series Mailing Machine | 2 |

Francotyp Postalia® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|------------------|-----------------------------------|--|--------|
| MATRIX EXCLUSIVE | 550-ULT | 5 1/2" x 1 23/32" Tape w/ Perf for use in the UltiMail™ Series | 3 |
| #775/ 776 | 5875-PM | 5 7/8" x 1 9/16" Tape w/ Perf for use in the 7500/ 8500/ JetMail™ | 3 |
| #775/ 776 | 5875-INKJET | 5 7/8" x 1 9/16" Tape w/ Perf for use in the JetMail™ | 3 |
| UNKNOWN | 600-PM F | 6" x 1 3/4" Full Tape for use in the JetMail™ | 4 |
| UNKNOWN | 600-PM PF | 6" x 1 9/16" Full Tape for use in the 7500/ 8500 Series Meters | 4 |
| #916/ 922 | 650-PM | 6 1/2" x 1 3/4" Half Tape for use in the JetMail™/ M-Series | 4 |
| UNKNOWN | 700-PM PF | 7" x 1 9/16" Half Tape for use in the 7500/ 8500 Series Meters | 5 |
| #193/ 216 | 502-PM | Two 5 1/4" x 1 5/8" Tapes per sheet for use in the T-1000 Series Meters | 5 |
| #193/ 216 | 502-PM F | Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the T-1000 Series Meters | 6 |
| #828/ 829 | 5X5 PINWHEEL®/ 5X5 PINWHEEL® C | 5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in the MyMail™/ T-1000 Series Meters | 6 |

Hasler® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|------------------|-----------------------------------|--|--------|
| #9100050 | 425-PM | 4 1/4" x 1 3/4" Shorty Tape® for use in the Powerpost™ | 7 |
| MATRIX EXCLUSIVE | 525-NWR | 5 1/4" x 1 9/16" Short Tape for use in the WJ60-WJ250 | 7 |
| MATRIX EXCLUSIVE | 525-PM WJJI | 5 1/4" x 1 9/16" Short Tape for use in the WJ60-WJ250 | 7 |
| #9004030 | 5875-INKJET | 5 7/8" x 1 9/16" Tape w/ Perf for use in the WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480 | 8 |
| #9100020 | 600-PM F | 6" x 1 3/4" Full Tape for use in the Powerpost™ | 8 |
| #9004010 | 600-PM PF | 6" x 1 9/16" Full Tape for use in the WJ135 - WJ250/ WJ-Pro | 8 |
| #9100010 | 650-PM | 6 1/2" x 1 3/4" Half Tape for use in the Powerpost™ | 9 |
| #9004030 | 6125-INKJET | 6 1/8" x 1 9/16" Tape w/ Perf for use in the WJ60 - WJ250/ WJ-Pro/ IM-420 - IM-480 | 9 |
| #9100030 | 700-PM | 7" x 1 3/4" Half Tape for use in the Powerpost™ | 9 |
| #9004020 | 700-PM PF | 7" x 1 9/16" Half Tape for use in the WJ135 - WJ250 | 10 |
| #9004020 | 700-PM WJJI | 7" x 1 9/16" Half Tape for use in the WJ60 - WJ250/ WJ-Pro | 10 |
| #9004080 | 502-PM | Two 5 1/4" x 1 5/8" Tapes per sheet for use in the WJ20 | 11 |
| #9004080 | 502-PM F | Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the WJ20 | 11 |
| #9004080 | 502-IMIS | Two 5 1/2" x 1 11/16" Tapes per sheet w/ Perf for use in the WJ20/IM-330/IM-350 | 11 |
| #9004570 | 5X5 PINWHEEL®/ 5X5 PINWHEEL® C | 5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in the WJ20 | 12 |

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|------------------|---------------|--|--------|
| #9990916 | 1312-200 DTU | Direct Thermal Labels for use in the Postlink™ | 12 |
| #WJR/ 5R | TR-30DT | Direct Thermal Continuous Label for use in the WJR30 | 12 |
| #PPINKR | PP-105 INKJET | Set of 2 Remanufactured Ink Cartridges for use in the Powerpost™ | 13 |
| #7HS1140/7HS1141 | P202 SERIES | Small Impression Rollers for use in the 101/120/120i/150/150i/202/Smart Meter 1263 | 13 |
| #7HS1150/7HS1151 | P204 SERIES | Large Impression Rollers for use in the Series 204 and up (1263 excluded) | 13 |

HP® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|---------|---------------|--|--------|
| #C6120A | PP-105 INKJET | Set of 2 Remanufactured Ink Cartridges for use in the Hasler® Powerpost™/ Neopost® IJ105 | 14 |
| #C8842A | VFD-88 BLACK | Remanufactured Ink Cartridge for use in a variety of printers | 14 |

Neopost® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|------------------|-----------------------------------|--|--------|
| MATRIX EXCLUSIVE | 425-PM | 4 1/4" x 1 3/4" Shorty Tape® for use in the IJ105 | 15 |
| MATRIX EXCLUSIVE | 525-NWR | 5 1/4" x 1 9/16" Short Tape for use in the IJ65 - IJ110 | 15 |
| MATRIX EXCLUSIVE | 525-PM WJU | 5 1/4" x 1 9/16" Short Tape for use in the IJ65 - IJ110 | 15 |
| #7465201 | 5875-PM | 5 7/8" x 1 9/16" Tape w/ Perf for use in the SM22/ SM26 | 16 |
| #7465233-01 | 5875-INKJET | 5 7/8" x 1 9/16" Tape w/ Perf for use in the IJ35 - IJ110/ IJ-15K/ SM75/ SM85/ SM95/ IS-420 - IS-480 | 16 |
| #8100028D | 600-PM F | 6" x 1 3/4" Full Tape for use in the IJ105 | 16 |
| #7465427 | 600-PM PF | 6" x 1 9/16" Full Tape for use in the SM58 | 17 |
| #X 7465233-01 | 6125-INKJET | 6 1/8" x 1 9/16" Tape w/ Perf for use in the IJ35 - IJ110/ IJ-15K/ IS-420 - IS-480 | 17 |
| #7465593 | 700-PM PF | 7" x 1 9/16" Half Tape for use in the IJ80 - IJ110/ IJ-15K | 17 |
| #7465593 | 700-PM WJU | 7" x 1 9/16" Half Tape for use in the IJ65 - IJ110/ IJ-15K | 18 |
| #7465221 | 502-PM | Two 5 1/4" x 1 5/8" Tapes per sheet for use in the SM22/ SM26 | 18 |
| #7465221 | 502-PM F | Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the SM22/ SM26 | 18 |
| #7449704 | 502-IMIS | Two 5 1/2" x 1 11/16" Tapes per sheet w/ Perf for use in the IJ25/ IS-330/ IS-350 | 19 |
| #7465252 | 5X5 PINWHEEL®/ 5X5 PINWHEEL® C | 5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in the IJ25 | 19 |
| #4122446P | TR-30DT | Direct Thermal Continuous Label for use in the TRTD | 20 |
| #8100032H | PP-105 INKJET | Set of 2 Remanufactured Ink Cartridges for use in the IJ105 | 20 |

Pitney Bowes® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|--------|--------------|---|--------|
| #625-0 | 600-PM F | 6" x 1 3/4" Full Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00 | 21 |
| #625-0 | 600-PM PF | 6" x 1 9/16" Full Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00 | 21 |

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|------------------------------|-----------------------------------|--|--------|
| #625-0 | 600-PM H | 6" x 1 9/16" Half Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00 | 22 |
| #625-0 | 700-PM PF | 7" x 1 9/16" Half Tape for use in the DM300C™/ 300i™/ 400™/ 400C™/ 400i™/ 450C™/ E210-590/ 3C00/ 4C00 | 22 |
| #612-0/612-7/612-9 | 502-PM | Two 5 1/4" x 1 5/8" Tapes per sheet for use in the 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200i™/ 200L™/ E600/ B700/ Personal Post™/ E700/ E707/ mailstation™ (K700)/ mailstation2™ (K7M0) | 23 |
| #612-0/612-7/612-9 | 502-PM F | Two 5 1/4" x 1 5/8" Tapes per sheet w/ Perf for use in the 5500/ 5675/ 6200/ 6900/ DM100i®/ 200™/ 200L™/ E600/ B700/ Personal Post™/ E700/ E707/ mailstation™ (K700)/ mailstation2™ (K7M0) | 23 |
| MATRIX EXCLUSIVE | 5X5 PINWHEEL®/ 5X5 PINWHEEL® C | 5" x 5" Sheet w/ Four 3 3/8" x 1 5/8" Tapes for use in Hand Feed Meters | 24 |
| #627-8 | E100A | Pressure Sensitive Adhesive Roll Tape for use in the DM500™/ 525™/ 550™/ 575™/ 800™/ 800i™/ 825™/ 875™/ 900™/ 1000™/ 1100™/ E100/ Paragon | 24 |
| #627-2 | E100P | Gum Roll Tape for use in the DM800™/ 900™/ 925™/ 1000™/ 1100™/ Galaxy/ Paragon | 25 |
| #767-1 | 700RC | Compatible Fluorescent Red Cassette Ribbon for use in the B700 | 25 |
| #769-0 | E-777 | Compatible Fluorescent Red Ink Cartridge for use in the Personal Post™/ E700/ E707 | 26 |
| #797-0 | K-777 | Compatible Fluorescent Red Ink Cartridge for use in the mailstation™/ K700 | 26 |
| #793-5 | M-127IL | Compatible Fluorescent Red Ink Cartridge for use in the DM100i®/ 200L™/ P700 | 26 |
| #765-0 | M-234 | Compatible Fluorescent Red Ink Cartridge for use in the DM200™/ 300™/ 400™ | 27 |
| #765-3 | M-234IL | Compatible Fluorescent Red Ink Cartridge for use in the DM200i™/ 300i™/ 300L™/ 400i™/ 400L™ | 27 |
| #765-9 | M-344C | Compatible Fluorescent Red Ink Cartridge for use in the DM300™c/ 400™c/ 450™c/ 3C00/ 4C00/ 5C00 | 27 |
| #621-1 | M-555 | Compatible Fluorescent Red Ink Cartridge for use in the DM500™/ 525™/ 550™/ 575™ | 28 |
| #766-8 | M-891 | Compatible Fluorescent Red Ink Cartridge for use in the DM800™/ 800i™/ 825™/ 875™/ 900™/ 925™/ 1000™/ 1100™ | 28 |
| #772-1 #772-2 (Twin Pack) | M-INF | Compatible Fluorescent Red Ink Cartridge for use in the DM16K/ 22K/ 22KR | 28 |
| #609-0 | 102 RED O | Oil-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570 | 29 |
| #609-0 | 102 W RED | Water-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570 | 29 |
| #609-2 | 102 W BLUE | Water-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570 | 30 |
| #609-3 | 102 W BLACK | Water-Based Emulsion Fluorescent Red Ink for use in the 5400/ 5500/ 5600/ 6100/ R150/ U560/ U570 | 30 |

Secap® Compatible

| OEM# | PRODUCT CODE | ADDITIONAL INFORMATION | PAGE # |
|--------|--------------|---|--------|
| #S27-8 | E100A | Pressure Sensitive Adhesive Roll Tape for use in the DP500™/ 525™/ 550™/ 575™/ 800™/ 825™/ 875™/ 1000™/ 1100™ | 31 |
| #S27-2 | E100P | Gum Roll Tape for use in the DP800™/ 825™/ 875™/ 1000™/ 1100™ | 31 |
| #S20-1 | M-555 | Compatible Fluorescent Red Ink Cartridge for use in the DP500™/ 525™/ 550™/ 575™ | 32 |
| #S67-8 | M-891 | Compatible Fluorescent Red Ink Cartridge for use in the DP800™/ 900™/ 925™/ 1000™ | 32 |

All Trademarks are the property of their respective owners. All model designations are for compatibility purposes only.

Mailing Solutions/ Supplies for Less

244 Fifth Ave. • New York, NY 10001
P: 212.591.1060 • F: 516.931.1381 • E: mailsolve@aol.com

MADE IN THE U.S.A.